



IB 2020 – 060 to 080
Bid Bulletin No. 1
September 1, 2020

This Bid Bulletin will form an integral part of the bidding document for the following:

| IB No. | Specifications Based on Purchase Request by End - User | Additional/Revision to the Specifications |
|----------------------|---|--|
| IB 2020 – 060 | <p>Procurement of 3,275 kits of Hygiene Kit ABC: P 3,815,375.00</p> <p>Item Specifications: (PR No. 1) _____ 3-pcs → Toothbrush for Adult _____ 2-pcs → Toothbrush for Children _____ 1-pack → Sanitary Napkin/Pad, 8 pads per pack _____ 1-tube → Toothpaste _____ 6 sachets → Shampoo with Conditioner _____ 2-bars → Bath Soap _____ 2-bars → Laundry/Detergent Soap _____ 1-piece → Dipper Plastic _____ 1-piece → Bath Towel, 100% Cotton, Dark Colored _____ 5-pcs → Hand Towel, rectangular shape, Dark Colored, 100% cotton _____ 1-piece → Malong _____ 12-piece Undergarments _____ _____ 6 pieces in a pack for men _____ _____ (2 small, 2 medium, 2 large) _____ _____ 6 pieces in a pack for women _____ _____ (2 small, 2 medium, 2 large) _____ 1-piece Utility Pail, Plastic, 16 liters capacity, with lockable cover that serves as a basin and secured with two pieces cable tie, color: green, with heavy duty metal handle</p> <p>Item Specifications: (PR No. 2 and 3) 3-pcs of Toothbrush for Adult, soft bristle _____ 2-pcs of Toothbrush for Children, soft bristle _____ 1-pack of Sanitary Napkin/Pad, 8 pads per pack _____ 1-tube of Toothpaste, 150ml/189g _____ 6 sachets of Shampoo with Conditioner, 15 ml _____ 2-bars of Bath Soap (Antibacterial) 135 g _____ 2-bars of Laundry/Detergent Soap, 420g _____ 1-piece of Dipper Plastic with handle, green _____ 1-piece of Bath Towel, 100% Cotton, Dark Colored , 20"L x 12" X _____ 5-pcs of Hand Towel, rectangular shape, Dark Colored, 100% cotton 54" L x 30" W _____ 1-piece of Malong 60" L x 42" W _____ 12-piece of Undergarments 6 pieces in a pack for men (2 small, 2-medium, 2 large); _____ 6 pieces in a pack for women (2 small, 2 medium, 2 large) _____ 1-piece of Utility Pail, Plastic, 16 liters capacity, with lockable cover that serves as a basin and secured with two pieces cable tie, color: green, with heavy duty metal handle _____ Each Pail should be imprinted with "DOH MM CHD - Philippine Government Property Not For Sale"</p> | <p>Content: 3 pcs of Toothbrush for Adult, soft bristle 2 pcs of Toothbrush for Children, soft bristle 1 pack of Sanitary Napkin/Pad, 8 pads per pack 1 tube of Toothpaste, 150ml/189g 6 sachets of Shampoo with Conditioner, 15 ml 2 bars of Bath Soap (Antibacterial) 135 g 2 bars of Laundry/Detergent Soap, 420g 1 piece of Dipper Plastic with handle, green 1 piece of Bath Towel, 100% Cotton, Dark Colored , 20" L x 12" X 5 pcs of Hand Towel, rectangular shape, Dark Colored, 100% cotton 54" L x 30" W 1 piece of Malong 60" L x 42" W 12 piece of Undergarments 6 pieces in a pack for men (2-small, 2-medium, 2-large), 6 pieces in a pack for women (2-small, 2-medium, 2-large) 1 piece of Utility Pail, Plastic, 16 liters capacity, with lockable cover that serves as a basin and secured with two pieces cable tie, color: green, with heavy duty metal handle Each Pail should be imprinted with "DOH MM-CHD - Philippine Government Property Not For Sale"</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| IB 2020 – 061 | <p>Procurement of 1,200 kits of Birthing Kit ABC: P 1,020,000.00</p> <p>Specification: 1-piece plastic bag, zip lock fastening, approximately 18 x 28 cm for disposal of placenta _____ 1 piece bar soap, approximately 110 grams, wrapped or boxed _____ 1 piece disposable plastic draw sheet approximately 100cm x 100cm _____ 1 piece single edged disposable razor blade _____ 1 piece umbilical clip _____ 2 pieces cotton towel approximately 100cm x 100cm _____ 2 pairs medium size surgical gloves for single use _____</p> | <p>Vynil Handbag with DOH logo that can accomodate all contents.</p> <p>1 piece plastic bag, self sealing bag, approximately 18 x 28 cm for disposal of placenta</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> |

| | | |
|---------------|--|---|
| | 2 pieces cotton malong or cotton blanket for drape | <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| IB 2020 – 062 | <p>Procurement of 575 bottles of 1.42 g/L + Permethrin 102.7 g/L + Piperonyl Butoxide 98.4 g/L, Emulsion Oil in Water (EW), WHOPEs Recommended ABC: P 2,714,000.00</p> | <p>Procurement of 575 bottles of S-Bioallethrin 1.42 g/L + Permethrin 102.7 g/L + Piperonyl Butoxide 98.4 g/L, Emulsion Oil in Water (EW), WHOPEs Recommended</p> <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions:</p> <ul style="list-style-type: none"> In all packaging should be imprinted with: “MM-CHD-Philippine Government Property Not for Sale” <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| IB 2020 – 063 | <p>Procurement of 1,500 sachet of Deltamethrin 25% (Water Dispersible Granules) WG, 20 grams per sachets WHOPEs Recommended ABC: P 1,332,000.00</p> | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date: _____ Expiration Date: _____ Batch/Lot No.: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| IB 2020 – 064 | <p>Procurement of 537 bottles of Permethrin 173.1 g/L + S-Bioallethrin 7.2 g/l + Piperonyl Butoxide (PBO) 155.9 g/L, Emulsifiable Concentrate, 1 liter/bottle ABC: P 2,706,480.00</p> | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH</p> |

| | | |
|-----------------------------|--|---|
| | | <p>MMCHD Not For Sale Manufacturing Date: _____ Expiration Date: _____ Batch/Lot No.: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 065</p> | <p>Procurement of 300 bottles of D-Tetramethrin 4%, Cyphenothrin 12%, 1L/Bottle ABC: P 3,300,000.00</p> | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date: _____ Expiration Date: _____ Batch/Lot No.: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 066</p> | <p>Procurement of 655 canister of Effervescent Chlorine Tablet 1.7g ABC: P 2,292,500.00</p> | <p>1.7g to 2g 200 tabs/canister 100 tabs/canister = 1,310 canister</p> <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date: _____ Expiration Date: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 067</p> | <p>Procurement of 1,056 kit Syphilis Rapid Test Kits (30test/kit) ABC: P 2,808,960.00</p> <p>Technical Specifications: Principle solid based Immunochromatographic Assay Detect all isotypes (Ig, IgM, and IgA)</p> | |

| | | |
|-----------------------------|---|---|
| | <p>Treponema: Sensitivity > 99.3% & Specificity > 99.5%</p> <p>Specimen - Serum (10 uL), Plasma (10 uL), Whole blood (20 uL)</p> <p>Individual foil pack (30 tests per kit)</p> <p>Result time: within 20 minutes</p> <p>A kit must include: Assay diluent if needed, measuring pipettes, alcohol swabs and lancets</p> <p>Can be restored at Standard Room Temperature</p> <p>Packaging Instruction: Standard Manufacturer/Distributor Packaging</p> <p>Shelf Life: Products must have a minimum shelf life of eighteen (18) months remaining at the time of delivery.</p> <p>Labelling Instructions:</p> <p>On each pack/box, the following should be legibly imprinted or stickered:</p> <p>Philippine Government Property-DOH MMCHD Not For Sale</p> <p>Manufacturing Date: _____</p> <p>Expiration Date: _____</p> <p>Batch/Lot No.: _____</p> <p>Delivery Period: Sixty (60) Calendar Days after receipt of Notice to Proceed</p> <p>Delivery Site: DOH-MMCHD Pasig Warehouse, Caruncho Avenue, Pasig City</p> <p>Other Requirements:</p> <ol style="list-style-type: none"> 1) Certificate of Product Registration (CPR) issued by FDA 2) Original brochure/package insert or downloaded from the internet 3) To provide quick guide usage at least 50 pcs. And 20 pcs. CD training guide; to attach with bid form upon opening the quick guide and CD Training guide. | |
| <p>IB 2020 – 068</p> | <p>Procurement of 10,000 tests of Dengue NS1 AG + IgG/IgM Rapid Diagnostic Test</p> <p>ABC: P 7,000,000.00</p> <p>Standar Features:</p> <p>RDT kit for the qualitative detection of dengue non-structural protein1 (NS1) and dengue Ns1 IgG and IgM antibodies from all four (4) Dengue serotypes</p> <ul style="list-style-type: none"> - NS1 & IgG/IgM Combo in Immunochromatography in plastic cassette format - 5mL assay buffer - 10uL capillary pipette - 1 disposable dropper - 1 lancet, ultra thin, 28 gauge, consistent depth penetration, universal design fits almost all lancing device - Assay time: 15-20 min - Sensitivity: $\geq 92\%$ and Specificity $\geq 98\%$ Dengue NS1 Ag based on 3rd party evaluation or based on publication by National Reference Laboratory (NRL), Centers for Disease Control and Prevention (CDC) or World Health Organization (WHO) - Sensitivity $\geq 94\%$ and Specificity Dengue IgG/Gm $\geq 96\%$ Dengue IgG/IgM based on 3rd party evaluation or based on publication National Reference Laboratory (NRL), Centers for Disease Control and Prevention (CDC) or World Health Organization (WHO) <p>Packaging: Manufacturer’s Standard</p> <p>Recall and Replacement:</p> <ol style="list-style-type: none"> 1. The Supplier must ensure the quality of products and if there will be problems in the quality, the Supplier will recall and replace the products distributed in the hospitals, health centers and public health laboratories | <p><u>Upon delivery, the following must be complied:</u></p> <p>Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Labelling Instructions:</p> <p>On each pack/box, the following should be legibly imprinted or stickered:</p> <p>Philippine Government Property-DOH MMCHD Not For Sale</p> <p>Manufacturing Date: _____</p> <p>Expiration Date: _____</p> |

| | | |
|-----------------------------|---|--|
| | | <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 069</p> | <p>Procurement of 376 kit Staining Kits ABC: P 2,556,800.00</p> <p>Standard Features: *AFB Staining kits, TB color modified in amber *bottles *Solution 1: *1 bot. Ziehl Neelsen Carbol Fuchsin Solution, 500ml *CI 42520 or 42510- 6.3 g/l *C6 H5OH- 40 g/l *1L= 0.99 kg *Solution 2: *2 bots. Hydrochloric acid in Ethanol, 500ml *HCl: 0.75% *C2H5OH *1L= 0.90kg *Solution 3: *1 bot Lofflers Methylene Blue Solution, 500ml *C/L/ 52015= 4.2g/l *CH3CH 20H *PH-8.0-8.6 *1L= 0.97 kg</p> | <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> <p>Upon delivery, the following must be complied: Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date:_____ Expiration Date:_____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 070</p> | <p>Procurement of 118 bottle Immersion Oil ABC: P 141,600.00</p> <p>Standard Features: 30ml, Type A Nd> Temp coef= 0.000 33/T Celcius Abbe VD+ 41.6 Abbe VD+ 41.2 Viscosity CS+=150 +- 10% Amber colored glass bottle</p> | <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> <p>Upon delivery, the following must be complied: Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard Manufacturer/Distributor Packaging</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date:_____ Expiration Date:_____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |

| | | |
|-----------------------------|--|--|
| <p>IB 2020 – 071</p> | <p>Procurement of 700 box Standard F HBA1C (FIA) and 8 kit SDB HBA1C Control Kit ABC: P 5,680,000.00</p> <p>700 box Standard F HBA1C (FIA) ABC P 5,600,000.00 Specifications: Simple and easy to use: Familiar lateral flow test platform Europium-based fluorescent chemistry: Large Stoke’s shift permits sensitive fluorescence detection and narrow emission peak permits detection Compatible to the existing HBA1C Machine distributed to the LGUs packaging</p> <p>8 kit SDB HBA1C Control Kit ABC: P 80,000.00 Specifications: Lv1 x 10 / Lv2 x 10 Inclusive 1 box Standard F HBA1C (FIA) 20 test Compatible to the existing HBA1C Machine Distributed to the LGUs</p> | <p>Procurement of 700 box Standard F HBA1C (FIA) and 8 kit SDB HBA1C Control Kit (lot bidding)</p> <p>Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 072</p> | <p>Procurement of 3,500 kit HIV test kit (30test/kit) ABC: P 5,250,000.00</p> <p>Technical Specifications: Test Principle: Immunochromatographic test (ICT); detects HIV 1/2 antibody; individually foil pouched device; cassette type (30 tests per kit) 100% sensitivity and 99.8% specificity Result time: within 20 minutes Specimen: 10 uL of serum/plasma or 20 uL of whole blood Materials provided: assay diluent if needed, capillary pipette, alcohol swabs and lancet Packaging Instructions: Standard Manufacturer/Distributor Packaging Shelf Life: Products must have a minimum shelf life of eighteen (18) months remaining at the time of delivery. Labelling Instructions: On each pack/box, the following should be legibly imprinted or stickered: Philippine Government Property-DOH MMCHD Not For Sale Manufacturing Date: _____ Expiration Date: _____ Batch/Lot No.: _____ Delivery Period: Sixty (60) calendar days after receipt of notice to proceed Delivery Site: DOH-MMCHD Pasig Warehouse, Caruncho Avenue, Pasig City</p> | |
| <p>IB 2020 – 073</p> | <p>Procurement of 11,012 sachet of 0.5% Pyriproxifen, 5 grams/sachet, granular formulation ABC: P 1,461,072.16</p> | <p>Procurement of 11,012 sachet of Pyriproxifen 0.5%, 5 grams/sachet, granular formulation</p> <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions:</p> <ul style="list-style-type: none"> In all packaging should be imprinted with: “MM-CHD-Philippine Government Property Not for Sale” <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 074</p> | <p>Procurement of 9,004 box of Doxycycline (as Hyclate) 100mg capsule ABC: P 1,107,492.00</p> | |

| | | |
|-----------------------------|--|--|
| | | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions: Each Box, Bottle and blister or foil should be imprinted with: “MM-CHD-Philippine Government Property Not for Sale”</p> <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 075</p> | <p>Procurement of Various Emergency Drugs and Medicines (Lot Bidding) ABC: P 3,917,175.00</p> <p>2,000 box Amoxicillin cap 500mg box of 100's 3,500 bot Amoxicilin 250mg/5ml 60 ml Suspension 5,000 box Cetirizine 10 mg tablet box of 100s 200 box Clonidine HCl 75 mcg tablet 100s 2,000 tube Fucidin 2% 20mg/g Topical Ointment 5 grams 1,000 box Lagundi (Vitex negundo L.) 600mg bxs of 100s 4,000 bot Lagundi (Vitex negundo L.) 300mg/5ml 120ml 1,000 box Mefenamic Acid 500 mg cap box of 100's 1,000 box Metronidazole 500mg tab, box of 100s 3,000 box Multivitamins capsule box of 100's 3,650 bot Multivitamin syrup 5 ml 120ml 4,000 box Paracetamol tab 500mg box of 100's 4,000 bot Paracetamol syrup 250mg syrup 60ml 4,000 bot Paracetamol drops 100mg Infant Drops 15ml 2,000 tube Silver Sulfadiazine 1% 25g Cream 360,000 cap Cefalexin 500 mg capsule 100's/box</p> | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions: Each Box, Bottle and blister or foil should be imprinted with: “MM-CHD-Philippine Government Property Not for Sale”</p> <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 076</p> | <p>Procurement of 3,913 vial of Equine Rabies Immunoglobulin (ERIG) ABC: P 5,478,200.00</p> | |

| | | |
|-----------------------------|---|---|
| | <p>Specifications:</p> <p>a. 200iu/ml, 5ml/vial solution for injection (IM/SC)</p> <p>b. Shelf life: Drugs must be fresh commercial stock with a total shelf life of 24 months from the date of manufacture</p> <p>c. Temperature Storage between 2-8 degree celsius</p> <p>d. Labelling Instruction: For each box, bottle, blister pack or foil strip and corrugated carton the following should be legibly imprinted: "Philippine Government Property-Department of Health- Not for Sale"</p> <p>e. Delivery Period: Thirty (30) Calendar Days upon receipt of NTP</p> <p>f. must comply with DOH AO No. 2018-0013 Revised Guidelines on the Management of Rabies Exposure</p> | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions:</p> <ul style="list-style-type: none"> In all packaging should be imprinted with: "MM-CHD-Philippine Government Property Not for Sale" <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 077</p> | <p>Procurement of 16,836 pcs. of Progestin Subdermal Implant (PSI) Ancillary Kit ABC: P 4,209,000.00</p> <p>Specifications: Each pack should contain the</p> <ul style="list-style-type: none"> Lidocaine 2% (5 ml vial or ampule, 1 pc) Syringe w/ needle 3ml, G-23 (1pc) Antiseptic Swab (4pcs) Sterile gauze 8 ply of 4"x4" (1 pc) Elastic Bandage 3"x5" (1 pc) Plaster (2 pc) Standard packaging of the manufacturer as approved by PFDA | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions:</p> <ul style="list-style-type: none"> In all packaging should be imprinted with: "MM-CHD-Philippine Government Property Not for Sale" <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 078</p> | <p>Procurement of 2,707 pcs. Etonogestrel Subdermal Implant ABC: P 4,060,500.00</p> <p>Specifications:</p> | |

| | | |
|-----------------------------|--|--|
| | <p>>68 mg subdermal implant</p> <p>> Primary Packaging – each box contains 1 unit of single-rod contraceptive implant preloaded in a sterile disposable applicator, 1 patient card, 1 physician card and 1 product information insert.</p> <p>> Secondary Packaging – standard packaging of the manufacturer as approved by PFDA including product insert or encryption/imprint inside the box.</p> <p>Shelf Life</p> <ol style="list-style-type: none"> 1. Must be fresh commercial stock with a total shelf life of Sixty (60) months from the date of manufacture but not less than Forty-two (42) months from the date of delivery. | <p><u>Upon delivery, the following must be complied:</u> Shelf Life: Eighteen (18) months from the date of delivery.</p> <p>Packaging Instructions: Standard packaging of the manufacturer</p> <p>Labelling Instructions:</p> <ul style="list-style-type: none"> • In all packaging should be imprinted with: “MM-CHD-Philippine Government Property Not for Sale” <p>Date of Manufacture: _____ Date of Expiry: _____</p> <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |
| <p>IB 2020 – 079</p> | <p>Procurement of 4,637 pad FP Target Client List (TCL) ABC: P 1,507,025.00</p> <p>Specifications: Page Size: 8.5” x 13” Folio (Folded) back to back printing No. of Pages 75 leaves per pad excluding cover Material: Book paper 80gsm or better Cover: Foldcote caliper 12 or better Color cover: Full Color with Logo, UV laminated (back to back green color) Color inside: Black and White Process: Offset Printing (Black and White) Binding: Hard Bind, Perfect binding or better Other: CTP</p> | <p>Delivery Schedule: 30 to 45 Calendar Days</p> <p>Area / Place of Delivery: PASIG WAREHOUSE, CARUNCHO AVENUE, PASIG CITY</p> |

I. Vehicle Specification and Requirements

1. Vehicle Type: Four-wheel passenger van with 4 doors (2 at the front for the driver and passenger, one sliding door or barn door at the right side and tailgate or barn door at the rear)
2. Wheelbase: At least 2800mm
3. Drive type: Rear wheel drive
4. Engine size / displacement: 2.5 to 3.0 liters
5. Engine Type: 4 cylinders, in line type, 16 valves, Double Over Head Cam (DOHC)
6. Alternator and battery: The capacity of the alternator and battery must be sufficient to supply the additional load demands of all medical equipment.
medical equipment. The amperage capacity of the alternator must be at least 110 amperes.
7. Fuel-injector System: Direct injection
8. Emission Compliance: Euro 4
9. Fuel Type: Diesel
10. Fuel Tank Capacity: At least 65 liters
11. Transmission: Manual with at least five (5) speed + one (1) reverse
12. Steering: Left Hand drive with power steering system
13. Brakes: Ventilated disk on the front and ventilated disk or drum type on the rear. With Anti-lock braking system. With parking brake
14. Front suspensions: McPherson Strut or Double Wishbone or Torsion Bar with stabilizer
15. Rear Suspensions: Rigid axle with leaf spring and double acting shock absorbers
16. Wheels: At least 15 inch, aluminium mag wheels or steel wheels with full cover
17. Tires: Radial type and atleast 195mm tire width
18. Standard vehicle lamps: Head lamps, tail lamps, stop lamps, signal lamps, license plate lamps, fog lamps and step lamps
19. Vehicle body color: White
20. Floor Material: Metal with anti-static floor matting. Each entry point of the patient compartment must be fitted with diamond tread
plate flooring.
21. Standard dashboard instrumentations: Speedometer, odometer, fuel gauge, digital clock, warning lamps for low oil pressure, cooling water level, overheating, low battery charge, indicator lamps for parking brake and head light high-beam, engine check, door open.
22. Dashboard Camera: Resolution of atleast 1920x1080@30fps angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. The power supply must be from the vehicle battery.
23. Standard driver's cabin accessories: AM/FM radio with speakers, USB connector, front personal lamp for driver and passenger, rear view mirror, sun visor and assist grips for the driver and passenger.
24. Vehicle Glass Windows: The vehicle glass windows (except the

windshield) must be installed with medium shade (35% Visible Light Transmitted) glass tint.
Transmitted) glass tint.

25. Windshield Wipers: with at least two (2) speed intermittent with washer
26. Air conditioning System: Dual type; at the driver's cabin and at the patient compartment with independent controls.
27. Seat Belts: 3 point Emergency Locking Retractor (ELR) seatbelts for the driver and front passenger.
28. Airbags: Supplemental Restraint System (SRS) airbags for the driver and for the front passenger.
29. Driver and passenger side mirrors: Standard convex type, manual or power adjustment.
30. Vehicle Interior Trim: Moulded trim. The ceiling must be provided with insulation.
31. Stainless steel plate on the rear bumper to protect the bumper when the Ambulance Stretcher is being loaded to the Ambulance.
32. Set of Tools: Hydraulic Jack, tire wrench, flat and Philips screw drivers, set of pliers, adjustable wrench, early warning device and spare wheel tire.

II. Emergency Lights, Sirens and Public Address System

1. Emergency lights: Roof mounted light bar with red and green flashing LED Lights. The Length of the light bar must be the same as the width of the vehicle roof.
2. Electric Siren and Public Address System: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob.
3. Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance.
4. Red and Green LED flashing lights mounted on the front grill of the Ambulance.

III. Ambulance Body Marking

III. Ambulance Body Marking

III. Ambulance Body Marking

1. The front of the ambulance shall be marked with a reflectorized and capitalized word "**Ambulance**" which is spelled out in reverse (mirror image). The height of each letter shall be no less than 10 centimeters and the letters must be in red color. The word shall be seen at least six (6) meters away.
2. Each side of the ambulance body shall have the capitalized word "**AMBULANCE**" not less than 15 cm in height and the letters must be in red color.
3. The rear side of the ambulance shall be marked with a reflectorized and capitalized word "**AMBULANCE**" not less than 15 cm in height. The letters must be in color red.
4. The prescribed DOH logo with a diameter of not less than 36 cm shall be placed on the driver's door and on the front passenger door.

IV. Patient Compartment

1. Compartment interior height: **at least 1600mm**
2. Compartment interior width: **at least 1500mm**
3. Partition between the driver and patient compartment: **Air tight bulkhead made of non-porous material with transparent and shatter-proof sliding window atleast 35cm x 30cm.**
4. Storage cabinet for medicines, instruments and medical equipment.
 - a.) Built-in cabinet made of white painted aluminium panels or other lightweight, equivalent strength material such as fiberglass, composites and fiberglass reinforced plastics. The cabinet must be mounted on the upper left side of the patient compartment and must be at least 200 cm but must not be more than 210 cm in length. The cabinet must be firmly anchored (bolted or welded) to tapping plates of the body structure.
 - b.) The cabinet must have transparent and shatter-proof sliding doors with low profile handles. The sliding doors must be easily opened but must not open during transit. The sliding doors must be fitted with automatic latch or friction holding device.
 - c.) The cabinet must have at least 4 shelves with at least one shelf designed to fit and carry heavy medical equipment such as the defibrillator and nebulizer. The shelves must have a depth at least 30cm but must not be more than 50 cm.
5. Compartment for the folding stretcher and scoop stretcher:
Installed below the storage cabinet, made of white painted aluminium panels or other lightweight, equivalent strength material such as fiberglass, composites and fiberglass reinforced plastics. The compartment must be at least 200 cm but must not be more than 210 cm in length. The cabinet must be firmly anchored (bolted or welded) to tapping plates of the body structure.
6. Bench for Medical Personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminium frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with a washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seatbelt for each person.
7. Overhead Lighting: **At least 2 LED white lights with low light option**
8. Grab rail: **Aluminum or stainless steel grab rail atleast 120 cm long, 10 cm depth (maximum) installed on the ceiling right above the patient / ambulance stretcher.**
9. 220V AC Supply: **The patient compartment must be installed with an electronic inverter with a capacity of atleast 2KVA and an output voltage of 220V, 60Hz. Atleast five (5) convenience outlets**

must be installed at the different points on the compartment to supply power to the medical equipment.

10. Intercom System: **Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment.**

V. Communication Equipment

Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, battery charger.

VI. Medical Equipment and Instruments

1. Ambulance Stretcher

- a. Length: **180 – 197 cm**
- b. Width: **48 – 55 cm**
- c. Loading height should match the vehicle floor height
- d. Loading capacity: at least 175kg
- e. Materials: Stainless steel, high grade aluminium alloy
- f. Head part rising angle: at least 75°
- g. Knee part rising angle: at least 15°
- h. With collapsible side rails and quick release patient restrain system
- i. With durable folding leg mechanism
- j. The mattress must be made of high-density polyester fiber foam with a thickness of at least 5 cm and covered with waterproof vinyl material.
- k. Wheels: 200 – 210mm diameter, fixed front with locking brakes and auto-directional rear and with 50 – 55cm loading carriage wheels
- l. Loading rail mounted in the ambulance with latching system
- m. Non-removable DOH logo and the words “For Ambulance use only” on the visible part of the equipment

2. Automated External Defibrillator

- a. Two Button Operation: On/Off, Discharge (shock Button)
- b. Voice Prompts: Voice Command that gives instruction to the user in operating the device.
- c. Automatically evaluates patient impedance for proper pad contact
- d. Automatically analyses patient ECG condition for shockable or non-shockable rhythms.
- e. Patient ECG acquired through defibrillator pads
- f. Energy Output: up to 200 Joules or higher
- g. Energy output accuracy: $\pm 15\%$
- h. Pulse shape: Bi-phasic
- i. Charge time: maximum 15 seconds
- j. Battery Capacity: Capable of providing at least 200 discharges at maximum energy.
- k. Replaceable Battery
- l. Visible and audible indicators:
 - i. Low battery
 - ii. Pad skin contact/Pad disconnection
 - iii. AED Status
 - iv. Warning “Do not touch patient”
- m. Defibrillator pads (self-adhesive, disposable and non-polarized)

at least five (5) pairs for adult and at least five (5) pairs for
at least five (5) pairs for adult and at least five (5) pairs for pedia.
at least five (5) pairs for adult and at least five (5) pairs for pedia.

pedia.

n. Non-removable DOH logo and the words "For Ambulance
use only" must be marked on the visible part of the equipment.

3. Nebulizer

- a. Diaphragm type pump assembly
- b. Replaceable air filter
- c. Compartment for storing the nebulizer kit and air tube
- d. Power supply: 220V, 60Hz
- e. Compressor pressure: at least 20 psig
- f. Standard accessories: Two mouth piece with tubing, two adult mask and two pedia mask, Air filters
- g. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

4. Portable Suction Machine

- a. Suction gauge/read out: analogue or digital
- b. Vacuum regulator with variable control
- c. Collection container: at least one (1) liter capacity, must be autoclavable including the lid
- d. Suction tubes: Silicon material
- e. With overflow sensors
- f. With bacterial filters on the suction side
- g. Power Supply: 220V, 60Hz
- h. Vacuum power: up to 60kPa
- i. The suction machine must be placed in a cart mounted on the head side of the patient
- j. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment.

5. Examining light (Mounted on the head side of the patient)

- a. Flexible holder light head
- b. LED white light
- c. Power supply: 220V, 60Hz
- d. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

6. Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient)

- a. Manometer size: at least 5 inches diagonal size
- b. Manometer gauge maximum pressure reading: 300 mmHg
- c. Manometer accuracy: ± 3 mmHg
- d. Inflatable rubber cuff with durable and flexible cover and Velcro strips:
 - i. Bandage cuff for adult
 - ii. Bandage cuff for pedia
 - iii. Bandage cuff for obese
- e. Latex free rubber tubes with at least 30 cm in length
- f. Latex free inflatable bulb with release valve
- g. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

7. Folding stretcher

- a. Length: at least 1900mm
- b. Width: at least 530mm

- c. Loading capacity: at least 120 kg
- d. The stretcher must have a quick release patient restrain system
- e. Frame material: high grade aluminium
- f. Frame must be made of sturdy lightweight, non-twisting construction and with rubber handles
- g. Stretcher bed material must be washable
- h. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

use only" must be marked on the visible part of the equipment

8. Scoop Stretcher

- a. Length: at least 200 cm
- b. Adjustable length
- c. Width: at least 42 cm
- d. Loading capacity: at least 150 kg
- e. The stretcher must have at least three (3) quick release patient restrain system
- f. Frame material: high grade aluminium
- g. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

9. Heavy Duty Stethoscopes (1 pediatric and 1 adult)

- a. Two-sided Chest piece
- b. Stainless Steel Chest Piece
- c. Combination diaphragm and bell type
- d. Rubberized ear tips
- e. Rubberized tubing black
- f. Standard Accessories:
 - i. Spare Ear tip – 2pcs. each for pediatric and adult
 - ii. Spare Diaphragm and ring – 1pc. Each for pediatric and adult
- g. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the container box.

10. Non-contact Thermometer

- a. Measuring scale: Degree Celsius
- b. LCD or LED display with at least three (3) digit measurement display
- c. Components must have no glass and mercury materials
- d. Measurement range: 34°C to 42°C or wider range.
- e. Beep sound upon measurement
- f. Switch off automatically when not in use.
- g. Battery operated.
- h. With low battery indicator
- i. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

11. Blood-Glucose meter with strip

- a. Display: LCD or LED digital display
- b. Displayed parameters
 - i. Blood glucose level in mg/ dl or mmol/l
 - ii. Date and time of test
- c. Blood sample size: 0.3 – 0.7 ul
- d. Average test time: less than 10 seconds
- e. Measurement range: 20 – 600 mg/ dl or mmol/l
- f. Memory capacity: at least 50 measurements
- g. Battery life: at least 1,000 measurements
- h. Accessories:

- i. Lancing device
- ii. At least 50 lancets
- iii. At least 50 test strips
- iv. Carrying case
- i. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment

12. Manual resuscitators for adult, pediatric and infant

- a. Made of 100% silicon with visible marking in the bag as autoclavable
- b. With pressure relief valve
- c. Capacity:
 - i. Within 1500 to 1700ml for adult
 - ii. Within 500 to 750 ml for pedia
 - iii. Within 250 to 370 for infant
- d. Accessories
 - i. Face mask for adult, pedia and infant – 2 pcs. each
 - ii. Oral airway for adult, pedia and infant – 3 pcs. each
 - iii. reservoir bag and oxygen tubing
- e. The resuscitators and accessories must be placed/ stored in a hard plastic container
- f. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the equipment or container

13. Oxygen cylinder with oxygen therapy set

- a. At least 20 pounds capacity
- b. Must be color green
- c. Oxygen therapy set
 - i. Gauge reading: 1,800 psi or higher
 - ii. Flowmeter: 0 to 15 li/min
 - iii. Humidifier bottle: Hard plastic, capacity: 200ml to 300ml
 - iv. Accessories: mouth piece, tubing, open wrench for installing the therapy set to the cylinder
- d. The cylinder must be placed in a holder mounted on the head side of the patient
- e. Non-removable DOH logo and the word "For Ambulance use only" must be marked on the visible part of the equipment

14. Laryngoscopes set

- a. Fiber optic LED light source
- b. Stainless steel blades, sizes
 - i. Curved, sizes: infant, child, adult,
 - ii. Straight, sizes: infant, child, adult
- c. Stainless steel handle
- d. The device must be autoclavable
- e. Battery operated
- f. Non-removable DOH logo and the words "For Ambulance use only" must be marked on the visible part of the container box.

15. Immobilization Device

- a. Rigid Cervical collars
 - at least 2 pieces for each size – small, medium and large
- b. Firm Padding or commercial head immobilization device
 - one (1) piece adult size and one (1) piece child size.
- c. Lower extremity (femur) traction devices (at least 2 pieces each)
 - i. Limb-support slings
 - ii. Padded ankle hitch
 - iii. Padded pelvic support

- iv. Traction strap (adult & child size)
- d. Upper and Lower extremity immobilization devices
 - i. At least 2 pieces – Joint-above and joint-below fracture
(Sizes appropriate for Adults and Children)
 - ii. At least 2 pieces each – Rigid- support constructed with appropriate material (cardboard, metal, pneumatic, vacuum, wood or plastic) – various size
- e. At least 2 pieces – Resistant straps or cravats

16. Delivery set

All instruments must be surgical grade stainless material with ± 0.4 inch measurement tolerance

- a. 1 pc. Sponge Holding Forceps, Rampley 9.5”
- b. 1 pc. Kidney Dish 10
- c. 1 pc. Bowl 200mm
- d. 1 pc. Umbilical Scissors, American, Straight 4.5”
- e. 1 pc. Needle Holder Mayo Hegar Straight 6.5”
- f. 1 pc. Episiotomy Scissors 14.5 cm
- g. 1 pc. Cusco Vaginal Speculum Medium
- h. 1 pc. Hartmann Mosquito Artery Forceps Straight 120mm
- i. 1 pc. Metal Catheter
- j. 1 pc. Uterine Curette
- k. 1 pc. Treves Dissecting Forceps, Plain, 200mm
- l. 1pc. Spencerwells Artery Forceps Curved 6”
- m. 1 pc. Kocher Artery Forceps, Toothed Straight 6”
- n. Non-removable DOH logo and the words “ For Ambulance use only” must

be marked on the visible part of the instrument container box

VII. OTHER EQUIPMENT AND ACCESSORIES

Note: The items below (except the IV holder) must be marked with Non-removable DOH Logo and the words “For Ambulance use only” on the visible part of the equipment.

use only” on the visible part of the equipment.

- 1. Fire extinguisher (rating 2A 10BC) five (5) pounds, with holder mounted on the ambulance floor.
- 2. Heavy duty LED flashlight with at least 1,000 lumens of brightness with extra batteries.
- 3. IV holder (mounted on the ambulance wall)
- 3. IV holder (mounted on the ambulance wall head side of the patient).
- 4. Digital clock with at least 4 inch display mounted on the ambulance wall.
- 5. Air purifier with multi-stage air filter (Pre-filter, HEPA, Carbon) and with UV light. The size of air purifier must be appropriate for the ambulance.
- 6. Garbage container at least 3 liter capacity and made of fiberglass reinforced plastic or Acrylonitrile Butadiene Styrene (ABS) plastic material and with lid cover. The container must be properly labelled and must be mounted on the ambulance floor.
- 7. Sharps container with sliding lid at least 1 liter capacity, made of fiberglass reinforced plastic or ABS Plastic Material. The container must be

mounted on the ambulance wall.

VIII. OTHER REQUIREMENTS TO BE SUBMITTED DURING THE BID OPENING

1. Product brochure (s) or technical data sheet (s) in Hard and Soft copies showing the technical specifications of the following in English language:

-

- a. Ambulance Vehicle
- b. Emergency lights, siren and public address
- c. Ambulance stretcher
- d. Automatic external defibrillator
- e. Nebulizer
- f. Examining light
- g. Aneroid sphygmomanometer
- h. Folding stretcher
- i. Scoop stretcher
- j. Heavy duty stethoscopes
- k. Non-contact thermometer
- l. Blood glucose meter
- m. Manual resuscitators
- n. Suction machine
- o. Oxygen therapy set
- p. Laryngoscopes set
- q. Delivery set
- r. Air purifier

2. Valid Marketing Authorization, Registration Approval or Free Sale Certificate for the Automated External Defibrillator issued by the health

authority in the country of origin.

3. Valid Certificate of Distributorship (as first Tier Distributor) issued by the foreign manufacturer or local distributor of the medical equipment and instruments authorizing the bidder to sell/distribute their products.

4. Notarized Certificate from the bidder:

- a. That the brands of the medical equipment and instruments have been in the local and/or international market for at least five (5) years.
- b. That medical equipment and instruments are brand new, unused, not discontinued models are were not subjected to any product recall.

5. Bidder's valid and current License to operate (LTO) as a medical device distributor issued by the Philippine Food and Drug Administration.

6. Valid and Current Certification of Product Registration (CPR) for the thermometer, lancets in the blood-glucose meter

and manual resuscitator issued by the Philippine Food and Drug Administration (PFDA).

7. Notarized Certificate from the manufacturer or local dealer of the Ambulance/vehicle:

- a. That the manufacturer has been manufacturing vehicles with diesel engines for the past twenty five (25) years.
- b. That the Ambulance/vehicle is brand new, unused, not a

discontinued model and was not subjected to any product recall.

8. Proof/s (such as Sales Invoice) that the brand of the vehicle already has been sold in the country as an ambulance.

3. Requirement/s if Declared the Lowest/Single Calculated Bid

Site inspection to the bidder's facility to verify/ validate the capability and capacity of the bidder to fabricate the Ambulances. The inspection shall be conducted by the Procuring Entity Technical Working Group.

4. Requirements if awarded the contract

4.1 The supplier shall provide orientation/training on the use and maintenance of the Ambulance, medical equipment and instruments on a schedule to be agreed upon by Procuring Entity and the winning bidder.

4.2 The supplier shall submit/provide the following to the end-user:

a. Operator's Manual in English language for the Ambulance, medical equipment and instruments.

b. Warranty Certificate for not less than three (3) years on parts and not less than five (5) on services for the Ambulance.

The manufacturer/dealer shall either repair or replace any item or part in the Ambulance that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing and commissioning. The warranty

certificate shall include the following:

b.1. That the warranty for the vehicle shall not be affected in case a change of dealer occurs.

b.2. That if the Ambulance is unable to return to the service center during the warranty period, the manufacturer/dealer shall provide mechanics and/or technicians that can perform on-site service and maintenance service and maintenance, provided that the end user will user will shoulder the travel expenses.

c. Warranty Certificate for two (2) years on parts and services for medical equipment, instruments and ambulance accessories.

The supplier shall either repair or replace any item or part in the said equipment that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing a and commissioning. The warranty certificate shall include the following:

c.1. The bidder shall conduct the necessary corrective maintenance within fifteen (15) calendar days upon notification of equipment breakdown from the end-user.

c.2. The bidder shall have the primary responsibility and accountability to ensure that in case of defects, the vehicle, equipment, instruments and/or peripherals are appropriately repaired or replaced and shall be in good working condition thereafter.

d. At least three (3) years validity of vehicle Land Transportation Office (LTO) registration with red plate.

e. Third Party Liability (TPL) vehicle insurance for one (1) year and comprehensive GSIS vehicle insurance for one (1) year.

5. Delivery

5.1. The delivery of the Ambulances must be completed within 150 calendar days upon receipt of the Notice to Proceed.

5.2. A prototype sample for the acceptance shall be presented by the supplier before the first batch of units are delivered. The prototype must be presented within 90 calendar days upon receipt of the Notice to Proceed.

5.3. Upon delivery, each ambulance shall undergo preliminary physical inspection by the Inspection Team of the Procuring Entity to ascertain the physical condition and acceptability of the units. All medical equipment, instruments, ambulance accessories and peripheral must be functioning and must have no physical damage.

physical inspection by the Inspection Team of the Procuring Entity to ascertain the physical condition and acceptability of the units. All medical equipment, instruments, ambulance accessories and peripheral must be functioning and must have no physical damage.

6. Payment

Payment shall be per delivery and acceptance for the Procuring Entity.

Recipients:

MANILA RHUS - 5 UNITS

- 1. AURORA QUEZON HC - 3 UNITS
- 2. PALOMAR HC - 1 UNIT
- 3. PATRICIA HC - 1 UNIT

QUEZON CITY RHUs - 8 UNITS

- 1. BATASAN HILLS SUPER HC - 1 UNIT
- 2. DONA NICASIA HC - 1 UNIT
- 3. VETERANS HC - 1 UNIT
- 4. PAYATAS A HC - 1 UNIT
- 5. BRGY. PALTOK HC - 1 UNIT
- 6. BALINGASA HC - 1 UNIT
- 7. CULIAT HC - 1 UNIT
- 8. SILANGAN HC - 1 UNIT

MUNTINLUPA - 5 UNITS

- 1. ALABANG HC - 1 UNIT
- 2. CUPANG HC - 1 UNIT
- 3. SOUTHVILLE HC - 1 UNIT
- 4. SUCAT HC - 1 UNIT
- 5. TUNASAN HC - 1 UNIT

DOH REGIONAL OFFICE - 2 UNITS

General instructions:

- 1. Supplier/s who opted to avail of the bidding documents but did not attend the Pre-Bidding Conference is/are not exempted from the terms and conditions stipulated in the bid bulletin;
- 2. Philippine Standard Time (PST) is the basis of time for the conduct of Public Bidding, for which the Biometrics located at Building I shall be used as reference for the PST; The BAC will not accept late submission of Bidding Documents.

3. Person/s not included in the Letter of Authority by the company will not be entertained including their bidding documents. **Only One (1) representatives** are allowed inside the bidding room.
4. **Place your bidding documents in an assigned envelope. Observe and comply with the following: a) properly labeled, b) with table of contents, c) properly arranged, with tabbing (marker) and d) fastened properly.** Unarranged and unfastened Bidding Documents will not be read. Bidders who submitted Unarranged and unfastened Bidding Documents will be disqualified to join the Public Bidding. Bidders must submit:

- I. **One (1) original**
- II. **Two (2) duplicate copies**

5. **Financial Proposal must be placed inside the **YELLOW ENVELOPE**.** Non-compliance with this instruction will be rated “FAILED” by the BAC.
6. Bidding Quotation must be in **WORDS AND IN FIGURES**. Non-compliance with this instruction will be a ground for disqualification from the Public Bidding;
7. **Only Xerox copy of official receipt** will be placed inside the bidding envelope for **bid security of cash or managers check**; (DOH- NCRO – BTR)
8. **The following Bidding Documents must be notarized** (noncompliance with this instruction will be rated as **“FAILED BID”**):
 - A. Statement of all on going gov't and private contracts including contracts not yet started
 - B. Statement of Single Largest Contract (SLCC)
 - C. Letter of Authority
 - D. Omnibus Sworn Statement
 - E. Bid Securing Declaration

9. NFCC shall be accompanied by Comparative Financial Statement of CY 2019 and CY 2018.

10. GPPB Cir: No. 07-2017, 4.1.1 states that

“ for all procurement projects advertised and/or posted after the effectivity of this Circular, bidders may still submit their Class A eligibility documents required to be uploaded and maintained current and updated registered in the PHILGEPS under Platinum category, their Certificate of Registration and Membership in lieu of their uploaded file of Class A documents, or a combination thereof., the Certificate of PHILGEPS Registration (Platinum Membership) shall remain as post qualification requirement to be submitted in accordance with Sec 34.2 of the 2016 Revised IRR of RA 9184

11. The declared Lowest Calculated and Responsive Bidder to whom the contract shall be awarded after due deliberation and resolution must receive the Contract within seven (7) calendar days from the approval thereof. Failure to comply shall be a ground for cancellation thereof.

12. Post Qualification Requirements:

- If Platinum Certificate is submitted during the Bid Opening, the following business licenses should indicate “certified true copy”:
 - Mayors permit
 - SEC/DTI/CDA
 - Tax Clearance
 - 2019, 2018 Comparative FS and EFPS Files
 - Six months Tax Returns
- Copy of uploaded Document Request List (DRL). (Note: the name of your company must appear in the list)
- **Other related documents required by the Technical Working Group**

13. Bidding Date: Old Schedule: September 8, 2020
New Schedule: September 9, 2020

Time of bidding Docs submission: ON OR BEFORE 9:00 AM (closing time)

Time of Opening of Bids: 10:00 AM

14. Sale of Bidding Documents: You can now pay the Bidding Document Fee to our Cashier.

IMPORTANT REMINDERS WHICH WILL FORM PART OF THE BID BULLETIN

For the submission of bid documents for the Public Bidding:

1. Observe and comply with proper labelling and tabbing of documents
2. Include table of contents
3. **The remarks “COMPLY” should be indicated line by line (corresponding to each parameter of the specifications)**

EXAMPLE:

| Technical Specifications | | |
|---------------------------------|--|-------------------------|
| Item | Specifications | Statement of Compliance |
| 1 | Procurement of 10,001 Boxes of Paracetamol 500 mg/tablet, 100s per box | COMPLY |
| | ABC: Pdp 500,050.00 | COMPLY |
| | Upon delivery, the following must be complied: | COMPLY |
| | Shelf Life: Supplies must be fresh commercial stock with a total shelf life of not less than eighteen (18) months from the date of delivery. | COMPLY |
| | Packaging Instructions: Standard packaging of the manufacturer. | COMPLY |
| | Labelling Instructions: | COMPLY |
| | • Each bottle and box should indicate: Manufacturing Date: _____ | COMPLY |
| | • Expiration Date: _____ | COMPLY |
| | • Each bottle, box and carton should legibly imprinted/ stickered with: “DOH-NCRD-Philippine Government, Price Not For Sale” | COMPLY |
| | Area / Place of Delivery: Pasig Warehouse, Carancho Ave. Pasig City | COMPLY |

4. Use the standard format for Statement of Single Largest Completed Contract and On-Going Contract/s (e.g with name, signature, date)
5. Separate the Statement of Single Largest Completed Contract and Statement of On-Going Contract/s
6. Notarial date should not be earlier than the date of signing on bid documents required to be sworn (such as but not limited to Statement of Single Largest Completed Contract and Statement of On-Going Contract/s, etc)
7. **The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC) which must be at least equal to the ABC to be bid, calculated as follows:**

NFCC = [(Current assets minus current liabilities) x 15] minus value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

8. Use the 2016 version of Omnibus Sworn Statement as per Section 25.3 of the 2016 RIRR
9. Copy of the BIR Form 2303 indicating the correct classification / category of the nature of business.
10. Website: ncroffice.doh.gov.ph

For guidance and information of all concerned.

JEREMIAS FRANCIS Y. CHAN, MD, MPH
BAC Chairperson