

Republic of the Philippines Department of Health

METRO MANILA CENTER FOR HEALTH DEVELOPMENT

SUPPLEMENTAL/ BID BULLETIN NO. 1

IB NO. 2024-003E PROCUREMENT OF 1 UNIT BIOSAFETY CABINET (SHORT OF AWARD)

This Supplemental/Bid Bulletin No. 1 is being issued to revise provisions/specifications in the Bidding Documents for a fore cited project:

Revision and clarification to provisions/specifications in the Bidding Documents:		
ORIGINALTECHNICAL SPECIFICATIONS	AMENDED	
• Noise: ≤ 57 dBA	• Noise: ≤ 58 dBA	
• Illumination: ≥ 1100 Lux	• Illumination: ≥ 1000 Lux	

Bidders are advised to use the following attached forms and submit together with all required documents for the submission of bids on November 20, 2023, 10:00 AM

This Supplemental/Bid Bulletin No. 1 shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For guidance and information of all concerned.

Issued this 14th day of November, 2023 in MMCHD.

Approved by:

SGD

PRETCHELL P. TOLENTINO, MD, MCHM

Director III / BAC Chairperson

Section VII. Technical Specifications

	Republic of the Department Metro Manila Center for	of Health		
		-		
Item No. 1	TECHNICAL SPECIFICA BIOSAFETY CABINET	ATIONS	Qty./Unit	1 UNIT
item No. 1	DIOSAFETT CADINET		Qty./ Offic	1 UNII
Name of Manufacturer:			Country of	Origin
Brand:			Model: (if a	applicable)
ABC: 850,000.00			inouch (ii)	аррисавтеј
112 0. 00 0,0 0 0.0 0	PURCHASER'S SPECIFICATION			EMENT OF PLIANCE
TECHNICAL SPECIFICATIO	IS:		3011	1 DITITIVED
 Class II A2 as per NSF or C Width: 4 feet 				
• External Size: Manufactur	er's Standard			
• Internal Size: Manufacture				
Work Surface Height: Mar				
• Max Opening: At least 508				
• Airflow Volume: Manufact				
- Downflow 65% - 70%				
- Exhaust 30% - 35%				
• Front Window: Motorized	toughened glass or equivalent			
• ULPA Filter:				
- 99.999% efficiency				
- filters up to 0.1 micror				
• Air quality: ISO 14644-1 0	ass 3 Air quality			
• ULPA Filter Standard:	49. .			
- IEST-RP-CC01.3 USA fo	r efficiency			
- EN 1822 EU				
• Noise: ≤ 58 dBA	niccion compliance.			
 Biosafety Cabinet Noise E. EN 12469 	anssion comphance:			
- ISO 4871				
- NSF/ANSI 49				
• Illumination: ≥ 1000 Lux				
• Display: LCD Display or be	tter			
• Tap: 1 Gas tap, 1 Water ta				
• Power Supply: 220V, 50/6				
• Alarms:				
- Abnormal airflow velocity				
- filter replacement				
- front window at unsafe he	•			
	(Philippine Standard), speed ac	ljustable, high-efficiency and		
low power consumption				
• Material:	Chainless Charl 204 W	stainless stail all.		
0 0	e Stainless Steel 304 with			
	rogalvanized powder coated sto	eei eei		
UV Lamp: At least 30W-40UV Lamp Life: at least 2,00				
• Lamp: Fluorescent lamp o				
Accessories:	Detter			
Armrest nodding				

Armrest padding Lab chair

- Footrest

Requirements if awarded the Contract

- 1. **Completion Period**: The delivery, installation, testing and commissioning of the equipment and its accessories, including the training of end-users and maintenance staff must be completed with 90 calendar days upon receipt of Notice to Proceed.
- 2. **Testing**: Prior to acceptance, the end user shall conduct a physical inspection and functionality test. The equipment must be functioning and must have no physical damage and defect.
- **3.Training**: The supplier shall provide a training on the proper use and maintenance of the equipment to the end-users and to the hospital maintenance staff within 3 days upon the delivery of the equipment.
- 4. **Warranty**: Warranty certificate for two (2) years on parts and service. The supplier shall either repair or replace any item or part in the equipment that is found to be defective in material or in workmanship under normal use. The warranty period shall commence from the date of acceptance by the end-user after testing and commissioning.
- 5. **Notarized undertaking** that the supplier shall conduct the necessary corrective maintenance within five (5) calendar days upon notification of the equipment breakdown from the end-user. The undertaking shall include a statement that the number of days where the equipment is unusable due to defective material or workmanship, shall be added to the warranty period.
- 6. Manuals: The supplier must provide the end-user one (1) hard and one (1) soft copy of the following:
 - a) Service manual in English language
 - b) Operation manual in English language
- 7. With "DOH-MMCHD HFEP" (Government Property not for sale) sticker in each unit.

Name of Company:	
Address:	
Signature Over Printed Name :	
Telephone/Fax Number:	
Email:	

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Description	Quantity	Delivery Site	Delivery Period
Biosafety Cabinet	1 unit	Health Facilities in	90 calendar days
		The City of	upon receipt of the
		Marikina	Notice to Proceed

Name of Company:	
Address:	
Signature Over Printed Name :	
Telephone/Fax Number :	
Email:	