



Republic of the Philippines
Department of Health

METRO MANILA CENTER FOR HEALTH DEVELOPMENT

SUPPLEMENTAL/ BID BULLETIN NO. 1

IB 2023 – 010

PROCUREMENT OF AFB STAINING KITS (SHORT OF AWARD)

This Supplemental/Bid Bulletin No. 1 is being issued to revise provisions/specifications in the Bidding Documents for a forecited project:

Revision and clarification to provisions/specifications in the Bidding Documents:	
FROM	TO
*CH ₃ CH ₂ O ₂ = 190 g/l	*CH ₃ CH ₂ OH = 190 g/l

Bidders are advised to use the following attached forms and submit together with all required documents for the submission of bids on 28th day of November 2022, 9:30 AM:

This Supplemental/Bid Bulletin No. 1 shall form an integral part of the Bidding Documents. All other provisions indicated in the bidding documents which are not affected by this Supplemental/Bid Bulletin No. 1 shall remain in effect.

For guidance and information of all concerned.

Issued this 18th day of November 2022 in MMCHD

Approved by:

ALELI ANNIE GRACE P. SUDIACAL, MD, MPH
Director III / BAC Chairperson



METRO MANILA CENTER FOR HEALTH DEVELOPMENT

Republic of the Philippines Department of Health Metro Manila Center for Health Development TECHNICAL SPECIFICATIONS			
Item No. 1	PROCUREMENT OF AFB STAINING KITS (SHORT OF AWARD)	Qty./Unit	1,400 KITS
Name of Manufacturer:		Country of Origin	
Brand:		Model: (if applicable)	
ABC: P 10,080,000.00			
PURCHASER'S SPECIFICATION		STATEMENT OF COMPLIANCE	
<u>SPECIFICATIONS:</u> *Staining kits, TB color modified in amber bottles *Solution 1: * 1 bot. Ziehl-Neelsen carbol-fuchsin solution, 500 ml *C.I. 42520 or 42510 = 6.3 g/l *C ₆ H ₅ OH= 40 g/l * 1 l = 0.99 kg *Solution 2: *2 bots. Hydrochloric acid in Ethanol, 500 ml *HCl: 0.75% *C ₂ H ₅ OH * 1 l = 0.90 kg *Solution 3: * 1 bot. Löffler's Methylene Blue Solution, 500ml *C.I. 52015 = 4.2 g/l *CH ₃ CH ₂ OH = 190 g/l *PH = 8.0-8.6 * 1 l = 0.97 kg Packaging Instructions: Standard Manufacturer/Distributor Packaging			



METRO MANILA CENTER FOR HEALTH DEVELOPMENT

Shelf Life: Products must have a minimum shelf life of eighteen (18) months remaining at the time of delivery.

Labelling Instructions:

On each kit, the following should be legibly imprinted or stickered:

Philippine Government Property- DOH MMCHD Not For Sale

Manufacturing Date:

Expiration Date:

Batch/Lot No.:

Delivery Period: Sixty (60) calendar days after receipt of notice to proceed

Delivery Site: DOH-MMCHD Pasig Warehouse, Caruncho Avenue, Pasig City

Other Requirement:

1 Certificate of Product Analysis (CPA) issued by the manufacturer

ADDITIONAL REQUIREMENT TO BE SUBMITTED BY THE SINGLE/LOWEST CALCULATED BIDDER (SCB/LCB) AS PART OF POST QUALIFICATION:

1. One (1) original sample of manufacturer's product to be submitted and returned after evaluation. The sample submitted and approved during the evaluation shall be the same item to be delivered upon award of contract. Prototype of the labelling instruction must be part of the sample submitted however, the technical specifications of the labelling instruction of the product must be complied upon delivery.